



# PRODUCT SCHEDULE FOR CERTIFICATE 070-04 CE JRI ORTHOPAEDICS LIMITED

# Intertek

## **HIP STEM (Class III)**

### **Active Stem**

Active H-AC Stem / 09mm - 16mm

### **Cemented Hemiarthroplasty (formally LOL 127)**

Cemented Hemiarthroplasty Stem / X-X-Small - Large  
Cemented Hemiarthroplasty Stem - Long / Small - Large

### **HAC Coated Offset Revision Stem**

H-AC Femoral Revision Stem / 10mm, 200mm - 18mm, 250mm, Offset

### **HAC Coated Revision Stem**

H-AC Femoral Revision Stem / 10mm, 200mm - 18mm, 250mm, Offset

### **HAC Hemiarthroplasty (formally LOL)**

Furlong HAC Hemiarthroplasty Stem / 09mm - 16mm Standard Spigot

### **HAC Offset Revision Plus Stem**

H-AC Femoral Revision-Plus Stem / 10 x 12mm, 200mm - 10 x 18mm, 250mm, Offset

### **HAC Offset Stem**

H-AC Femoral Stem / 08mm, Offset - 18mm, Offset, 133°

### **HAC Revision Plus Stem**

H-AC Femoral Revision-Plus Stem / 10 x 12mm, 200mm - 10 x 18mm, 250mm, Offset

### **HAC Stem**

H-AC Femoral Stem / 08mm, Offset - 18mm, Offset, 133°

### **Modular Offset Revision Stem**

Cemented Modular Revision Stem / Small 200mm - Large 300mm Long, Offset

### **Modular Offset Stem (Stainless Steel)**

Cemented Modular Stem / X-X-Small, Offset - Large, Offset

### **Modular Revision Stem**

Cemented Modular Revision Stem / Small 200mm - Large 300mm Long, Offset

### **Modular Stem (Stainless Steel)**

Cemented Modular Stem - Standard / X-X-Small - Large

### **Securus ELS**

Securus Modular Stem - ELS Body / 13mm 'A' 133° Neck - 16mm 'D' 133° neck, 5mm offset

### **Securus Modular**

Revision Cortical Locking Stepped Screw / 30mm - 55mm

Securus Body Cap / Modular - Monobloc

Securus Distal Locking Screw / 5mm x 30mm - 5mm x 70mm

Securus Modular H-AC Curved Distal Stem / 11 x 250mm - 18 x 350mm

Securus Modular H-AC Proximal Body / Size A 15/13mm, 133°, Standard Offset (41mm) - Size D 18/16mm, 133°, High Offset (41mm)

Securus Modular Locking Bolt

Initial Certification Date: 06 December 1995

Certificate Effective Date: 01 September 2016



Barry A. Fitch ~ Authorized Signatory



# PRODUCT SCHEDULE FOR CERTIFICATE 070-04 CE JRI ORTHOPAEDICS LIMITED

# Intertek

## **FEMORAL HEAD (Class III)**

### **Bi-Polar Femoral Head**

Femoral Head - Bipolar HN-SS / 40mm with 22.25 Internal Head - 58mm with 22.25 Internal Head

### **Cobalt Chrome Femoral Head**

Femoral Head - CoCr / 22.25mm x Medium Neck - 36mm x Ex Long +8

### **Cobalt Chrome Femoral Head 14/16**

Femoral Head - CoCr 14/16 Taper / 28mm x Short Neck - 32mm x Ex-Long Neck

### **Delta Ceramic Head**

Femoral Head - Delta Ceramic / 28mm Dia x Short Neck - 44mm Dia x Ex-Long Neck

### **Delta Ceramic Revision Head**

Femoral Revision Head (Delta Ceramic) & Sleeve / 28mm Dia Short Neck - 40mm Dia Ex-long Neck

### **Forte Ceramic Head**

Femoral Head - Forte Ceramic / 28mm Dia x Short Neck - 36mm Dia x Long Neck

### **Physiological Head (SS)**

Femoral Head - Physiological / 39mm Dia - 58mm Dia

### **Stainless Steel Femoral Head**

Femoral Head - Stainless Steel / 22.25mm Dia Medium Neck - 32mm Dia Ex.Lg +8 Neck

### **TriboFit Femoral Head**

TriboFit Modular Head / 34 – 50mm

TriboFit Neck Adaptor / 38-40 Short - 46-50 Long

Initial Certification Date: 06 December 1995  
Certificate Effective Date: 01 September 2016



Barry A. Fitch ~ Authorized Signatory

# PRODUCT SCHEDULE FOR CERTIFICATE 070-04 CE JRI ORTHOPAEDICS LIMITED

# Intertek

## **ACETABULAR CUP (Class III)**

### **Cemented Acetabular Cup**

Cemented Acetabular Cup / 50mm O/D x 22.25mm I/D - 62mm O/D x 36mm I/D (HD UHMWPE)

### **CSF Cup**

CSF Acetabular Cup / 44mm - 80mm

### **CSF-Plus Cup - Ceramic**

CSF Plus Cup - Ceramic Liner / 44mm - 70mm

### **CSF-Plus Cup - UHMWPE**

CSF-Plus Acetabular Cup for Polyethylene Bearings / 44mm - 70mm

### **CSF-Plus Revision Cup**

CSF-Plus Multi Hole Revision Acetabular Cup / 54mm - 70mm

### **Threaded Cup**

Threaded Acetabular Cup / 41mm - 62mm

### **Acetabular Cup**

#### **CSF-Plus Finned Cup**

CSF plus Finned Cup - Ceramic liners / 40mm - 70mm

CSF plus Finned Cup - UHMEWPE liners / 40mm - 70mm

#### **TriboFit Acetabular System**

TriboFit Acetabular Shell / 46 - 64 mm

Initial Certification Date: 06 December 1995  
Certificate Effective Date: 01 September 2016



Barry A. Fitch ~ Authorized Signatory

# PRODUCT SCHEDULE FOR CERTIFICATE 070-04 CE JRI ORTHOPAEDICS LIMITED

# Intertek

## INSERT / LINER (Class III)

### Ceramic liner - CSF

Ceramic Liner for CSF Acetabular Cup / 44/46mm O/D 28mm I/D - 66/70mm O/D 28mm I/D

### Ceramic liner - CSF-Plus

Delta Ceramic Liner for CSF-Plus Cup / 44mm (28mm) - 64/66/68/70mm (40mm)

### Ceramic liner - Threaded Cup

Ceramic Liner for Threaded Acetabular Cup / 47mm O/D 28mm I/D - 54/58/62 O/D 32mm I/D

### UHMWPE liner - CSF

Hooded Polyethylene Liner for CSF Acetabular Cup / 44/46mm O/D 22.25mm I/D, 10° - 66/70mm O/D 36mm I/D, 10°  
Polyethylene Liner for CSF Acetabular Cup / 44/46mm O/D 22.25mm I/D - 66/70mm O/D 36mm I/D

### UHMWPE liner - CSF-Plus

Hooded Polyethylene Liner for CSF-Plus Cup / 44mm (28mm) 10° - 70mm (36mm) 10°  
Polyethylene Liner for CSF-Plus Cup / 44mm (28mm) - 70mm (36mm)

### UHMWPE liner - Threaded Cup

Hooded Polyethylene Liner for Threaded Acetabular Cup / 41/44mm O/D 22.25mm I/D, 10° - 54/58/62mm O/D 32mm I/D, 10°  
Polyethylene Liner for Threaded Acetabular Cup / 41/44mm O/D 22.25mm I/D - 54/62mm O/D 32mm I/D

### xl-UHMWPE liner - CSF-Plus

CLP-75 Liner for CSF-Plus Cup / 44mm (28mm) - 70mm (36mm)  
Hooded CLP-75 Liner for CSF-Plus Cup / 44mm (28mm) 10° - 70mm (36mm) 10°

Initial Certification Date: 06 December 1995  
Certificate Effective Date: 01 September 2016



Barry A. Fitch ~ Authorized Signatory

**PRODUCT SCHEDULE FOR CERTIFICATE 070-04 CE  
JRI ORTHOPAEDICS LIMITED**

**Intertek**

**ACCESSORIES (Class III)**

**Cement Plug**

Bone Cement - Plug / 10mm - 20mm

**CSF Bone Screw**

Bone Screw for CSF Acetabular Cup / 15mm x 6.5mm x 3.5A/F - 50mm x 6.5mm x 3.5A/F

**Hole plug**

Plug for Polyethylene bearing CSF-Plus Cup / Central Hole - Central Hole

**Bone Graft Substitute (Class III)**

Repos Bone Substitute (HAC/TCP) / 5cc vial (0.5 - 1mm) - 50mm x 20mm x 10mm



Initial Certification Date: 06 December 1995  
Certificate Effective Date: 01 September 2016

Barry A. Fitch ~ Authorized Signatory

# PRODUCT SCHEDULE FOR CERTIFICATE 070-04 CE JRI ORTHOPAEDICS LIMITED

# Intertek

## **SHOULDER SYSTEM (Class III)**

### **Glenoid**

Glenoid - Metal-backed / Small - Large (M8 thread)

### **Glenoid Cemented**

Glenoid Cemented / Small 42mm diam - Large 58mm diam

### **Glenoid Insert**

Glenoid Insert / Small 42mm - Large 58mm

### **Glenoid Screw**

Glenoid Screw / 20mm - 40mm

### **Humeral Cemented**

Humeral Cemented Stem / 6mm - 10mm x 220mm long

Humeral Cemented Stem / 6mm - 12mm

Humeral Cemented Stem / 8mm - 10mm x 220mm long

### **Humeral HAC**

Glenoid - Metal-backed / Small - Large (M8 thread)

Humeral Neck (HAC) / - no suture-wire holes

Humeral Stem (HAC) / 8mm - 16mm

Shoulder Bone Screw / -

### **Humeral Head**

Shoulder Head / 42mm Dia, +3mm offset - 54mm Dia, +6mm offset

### **Locking Screw**

Shoulder Locking Screw Cap

Shoulder Neck taper retaining screw

### **Reverse Cup**

Shoulder Reverse Cup

### **Reverse Head**

Shoulder Reverse Dome (HAC) / 0 - +1.5mm

### **Reverse Insert**

Shoulder Reverse Cup Insert / 0 - +6mm

### **Resurfacing Shoulder System**

VAIOS Humeral Surface Replacement / 40 - 54mm

VAIOS CTA Humeral Surface Replacement / 40 - 54mm

Initial Certification Date: 06 December 1995

Certificate Effective Date: 01 September 2016



Barry A. Fitch ~ Authorized Signatory



# PRODUCT SCHEDULE FOR CERTIFICATE 070-04 CE JRI ORTHOPAEDICS LIMITED

# Intertek

## **POWERED INSTRUMENTS (Class IIa)**

### **Connector**

Chana Type Curved Reamer Handle / AO Fitting  
Flexible Drill Holder / Bayonet Chuck  
Hudson Adaptor / 12mm AF Hex Drive - Cannulated  
Jacobs Adaptor / 12mm AF Hex Drive  
Threaded Acetabular Cup Cutters / Shaft  
Universal Reamer Shaft / for use with Precimed reamers  
Zimmer Female Adaptor / 12mm A/F'AO' Male

### **Cutter**

Calcar Cutter / for Furlong HAC for Rasp/Trial System - Bi-Directional

### **Drill**

Bone Drill / 1/8" x 30mm Bayonet fitting - 1/8" x 60mm  
Distal Hole Targeting Drill Bit / 6mm Custom tip  
Extended Cement Drill 245mm long / 4.4mm Dia - 6.35mm Dia  
Humeral Screw / Jacobs Shaft  
Pre Drill for Humeral cutting block / Glenoid  
Shoulder Drill

### **Reamer**

Acetabular Reamer, Advanced / 40mm - 70mm  
Acetabular Reamer, Advanced (Threaded Cup only) / 41mm - 62mm  
Acetabular Reamer, Classic / 40mm - 70mm  
Glenoid Central Hole & Reamer  
Glenoid Reamer Shaft  
Helical Femoral Reamer 12mm A/F Hex / 15mm  
Humeral Canal Reamer / 6mm - 16mm  
Humeral Resurfacing Head Reamer / 40mm - 54mm  
IM Femoral Reamer (60°) / 07mm Dia - 18mm Dia  
Intramedullary Reamer / 10mm - 18mm  
MI Acetabular Reamer / 44mm - 62mm  
Nitonol Flexible Reamer / 9mm - 19.5mm

Initial Certification Date: 06 December 1995  
Certificate Effective Date: 01 September 2016



Barry A. Fitch ~ Authorized Signatory

# PRODUCT SCHEDULE FOR CERTIFICATE 070-04 CE JRI ORTHOPAEDICS LIMITED

# Intertek

## **TRIAL (Class IIa)**

### **Trial Acetabular Cup**

Cemented Acetabular Test Cup / 44mm - 62mm  
CSF Acetabular Test Cup / 44mm - 70mm, M10 thread  
Threaded Acetabular Test Cup / 41mm - 62mm  
TriboFit Acetabular Shell Trial / 46mm - 62mm

### **Trial Acetabular Liner**

Hooded Trial Liner for CSF Acetabular Cup / 22.25mm I/D 44/46mm O/D - 36mm I/D 66/70mm O/D  
Hooded Trial Liner for FRF Cup / 22.25mm I/D 46/48mm O/D - 28mm I/D 46/48mm O/D  
Hooded Trial Liner for Polyethylene Bearing CSF-Plus Cup, 10° offset / 28mm ID. 44mm OD - 36mm ID. 70mm OD  
Hooded Trial Liner for Threaded Acetabular Cup / 41/44mm OD 22.25mm ID - 54/58/62mm OD 32mm ID  
Hooded Trial Liner for Tri-Fix Cup / 22.25mm I/D 44/46mm O/D - 35mm I/D 66/70mm O/D  
Trial Liner for Ceramic Bearing CSF-Plus Cup / 44mm OD / 28mm ID - 64-68mm OD / 40mm ID  
Trial Liner for CSF Acetabular Cup / 22.25mm I/D 44/46mm O/D - 36mm I/D 66/70mm O/D  
Trial Liner for Polyethylene Bearing CSF-Plus Cup / 28mm ID, 44mm OD - 36mm ID, 70mm OD  
Trial Liner for Threaded Acetabular Cup / 41/44 mm O/D x 22.25mm I/D - 54/58/62mm O/D x 32mm I/D

### **Trial Femoral Stem**

Metal Head Adaptor for Trial Stem / Large (-4 neck) - Large (+4 neck)  
Rasp / Trial for H-AC Active Stem / 9mm - 16mm  
Rasp / Trial for H-AC Femoral Stem / 10mm Short Spigot - 12mm Short Spigot  
Rasp / Trial for H-AC Revision Plus Stem / 10mm - 16mm  
Rasp / Trial for Securus ELS / Size A - Size D  
Trial for HAC Hemiarthroplasty Stem / 09mm (threaded spigot) - 16mm (threaded spigot)  
Trial for Securus Curved Modular Distal Stem / 11 x 250mm - 18 x 350mm  
Trial for Securus Monobloc Curved Distal Stem, 10° Antiversion / 11 x 250mm Left Leg Std Offset 41mm - 12 x 250mm Right Leg High Offset 46mm  
Trial for Securus Proximal Body / Size A 15/13mm, 133° Std offset - Size D 18/16mm, 133° High offset  
Trial for Threaded Bolt  
Trial H-AC Securus Proximal Body, ELS, 133° / Size A - Size D, +5 Offset  
Trial H-AC Securus Revision Stem, 133° / 10 x 200mm, 41.0mm Offset - 16 x 200mm, 46.0mm Offset  
Trial H-AC Stem with fin-cutter slot / 09mm - 18mm  
Trial Hemiarthroplasty Long Stem / Small - Large  
Trial Hemiarthroplasty Stem / Ex-Ex-Small (Threaded Spigot) - Large (Parallel Spigot)  
Trial Stem for H-AC Revision Plus stem / 10mm x 200mm - 16mm x 250mm - 5mm offset  
Trial Stem for H-AC Stem / 08mm - 18mm - 5mm offset - no fin - standard spigot  
Trial Stem for Modular Femoral Stem / Ex-Ex-Small - Large - Threaded spigot  
Trial Stem for Modular Femoral Stem, Offset / Ex-Ex-Small - Large  
Trial Stem for Modular Revision Stem, Offset / 200mm Small - 300mm Large  
Trial Stem for Revision H-AC Femoral Stem / 10mm x 200mm - 18mm x 250mm - threaded spigot  
Trial Stem for Revision-Plus H-AC Femoral Stem / 10mm x 250mm - 16mm x 250mm - threaded spigot

Initial Certification Date: 06 December 1995  
Certificate Effective Date: 01 September 2016



Barry A. Fitch ~ Authorized Signatory

# PRODUCT SCHEDULE FOR CERTIFICATE 070-04 CE JRI ORTHOPAEDICS LIMITED

# Intertek

## **Trial Head**

Bi-Polar Trial Head / 40mm (Black) - 58mm (Black)

Femoral Trial Head / 28mm Dia x 8 & 9mm 133°, Short Neck - 40mm Dia x Extra Long Neck, 12/16 Taper

Femoral Trial Head - H-AC Stem, Short Spigot, 5mm Offset / 28mm Dia x Modular, Short Neck - 28mm Dia x Modular, Long Neck

Femoral Trial Head for Trial Stem Parallel Bore / 22.25mm Dia x Medium Neck - 40mm Dia x Ex-Long Neck

Physiological Trial Head / 39mm (White) - 58mm (White)

Rasp Trial Metal Head Adaptor / Short Large - Extra Long Large

Trial Head for Rasp/Trial / 22.25mm Dia x Long Neck - 40mm Dia x Extra Long Neck

Trial Head for Rasp/Trial Stem, Offset, 133° / 28mm Dia x Short Neck - 40mm Dia x Ex-Long Neck

Trial Head for Securus Rasp/Trial Stem, 133° / 28mm Dia x Short Neck - 40mm Dia x Ex-Long Neck

TriboFit Trial Head / 34mm - 50mm

TriboFit Humeral Trial Head / 38mm, 3mm offset - 50mm, 6mm offset

TriboFit Modular Trial Head / 34mm Short - 36mm Long

## **Trial Neck adaptor**

TriboFit Threaded Neck Adapter Trial / Short (-4mm) - Long (+4mm)

## **Trial Shoulder**

Glenoid Trial (Cemented) / Small - 58mm Large

Glenoid Trial (H-AC) / Small - 58mm Small

Glenoid Trial Insert / Large - Small

Reverse Cup Trial

Reverse Cup Trial Insert / Standard Offset - 6mm Offset

Reverse Dome Trial / 0mm - 1.5mm

Trial Head / 42mm, 3mm offset - 50mm, 6mm offset

Initial Certification Date: 06 December 1995

Certificate Effective Date: 01 September 2016



Barry A. Fitch ~ Authorized Signatory